



ROHS Compliant

Date 2020/09/09

Revision A





WIRING

CABLE LENGTH
COLOR

TECHNICAL DATA

CABLE LENGTH	<input type="checkbox"/> 500±30mm	<input type="checkbox"/> 1000±50mm	<input type="checkbox"/> 1500±50mm	<input type="checkbox"/> 2000±50mm
	<input type="checkbox"/> 2500±50mm	<input type="checkbox"/> 5000±50mm	<input type="checkbox"/> 10000±100mm	<input type="checkbox"/> OTHER _____
COLOR	<input type="checkbox"/> BLUE <input type="checkbox"/> ORANGE <input type="checkbox"/> RED <input type="checkbox"/> GREEN <input type="checkbox"/> WHITE <input type="checkbox"/> YELLOW <input type="checkbox"/> GRAY <input type="checkbox"/> OTHER _____			
CABLE	<input type="checkbox"/> UTP CAT.5E	<input type="checkbox"/> UTP CAT.6	<input type="checkbox"/> STP CAT.5E	<input checked="" type="checkbox"/> STP CAT.6
	<input type="checkbox"/> 24 AWG SOLID	<input type="checkbox"/> 24 AWG STRANDED	<input type="checkbox"/> 26 AWG SOLID	<input type="checkbox"/> 26 AWG STRANDED
PLUG	8P8C 50u"			
SR TYPE	<input type="checkbox"/> AA <input type="checkbox"/> MB <input type="checkbox"/> MF <input type="checkbox"/> MH <input checked="" type="checkbox"/> MLS <input type="checkbox"/> MR6 <input type="checkbox"/> MR7 <input type="checkbox"/> OTHER _____			



P/NO. FPC6-XX-XX-MLS

ITEM. Patch Cord	CO. SY	FILE.FPC6-XX-XX-MLS
DR.	APPD. Sweet 2020/09/09	CHKD.
 <p>Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29068849,29088679</p>	S/N. FPC6-XX-XX-MLS	
	SCALE /	
	UNIT mm	SIZE A4

REV.	DESCRIPTION	ENG.	APPROVAL
------	-------------	------	----------

ROHS Compliant

Date	2020/09/09
Revision	A





WIRING

CABLE LENGTH
COLOR

TECHNICAL DATA

CABLE LENGTH	<input type="checkbox"/> 500±30mm	<input type="checkbox"/> 1000±50mm	<input type="checkbox"/> 1500±50mm	<input type="checkbox"/> 2000±50mm
	<input type="checkbox"/> 2500±50mm	<input type="checkbox"/> 5000±50mm	<input type="checkbox"/> 10000±100mm	<input type="checkbox"/> OTHER _____
COLOR	<input type="checkbox"/> BLUE <input type="checkbox"/> ORANGE <input type="checkbox"/> RED <input type="checkbox"/> GREEN <input type="checkbox"/> WHITE <input type="checkbox"/> YELLOW <input type="checkbox"/> GRAY <input type="checkbox"/> OTHER _____			
	CABLE	<input type="checkbox"/> UTP CAT.5E	<input type="checkbox"/> UTP CAT.6	<input checked="" type="checkbox"/> STP CAT.5E
<input type="checkbox"/> 24 AWG SOLID <input type="checkbox"/> 24 AWG STRANDED <input type="checkbox"/> 26 AWG SOLID <input type="checkbox"/> 26 AWG STRANDED				
PLUG	8P8C 50u"			
SR TYPE	<input type="checkbox"/> AA	<input type="checkbox"/> MB	<input type="checkbox"/> MF	<input type="checkbox"/> MH <input checked="" type="checkbox"/> MLS <input type="checkbox"/> MR6 <input type="checkbox"/> MR7 <input type="checkbox"/> OTHER _____



P/NO. FPCe-XX-XX-MLS

ITEM. Patch Cord	CO. SY	FILE.FPCe-XX-XX-MLS
DR.	APPD. Sweet 2020/09/09	CHKD.
 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679	S/N. FPCe-XX-XX-MLS	
	SCALE /	
	UNIT mm	SIZE A4

REV.	DESCRIPTION	ENG.	APPROVAL
------	-------------	------	----------

ROHS Compliant


Date	2020/09/09
Revision	A



WIRING



CABLE LENGTH
COLOR

TECHNICAL DATA			
CABLE LENGTH	<input type="checkbox"/> 500±30mm	<input type="checkbox"/> 1000±50mm	<input type="checkbox"/> 1500±50mm
	<input type="checkbox"/> 2000±50mm	<input type="checkbox"/> 2500±50mm	<input type="checkbox"/> 5000±50mm
COLOR	<input type="checkbox"/> 10000±100mm	<input type="checkbox"/> OTHER _____	
	<input type="checkbox"/> BLUE	<input type="checkbox"/> ORANGE	<input type="checkbox"/> RED
CABLE	<input type="checkbox"/> GREEN	<input type="checkbox"/> WHITE	<input type="checkbox"/> YELLOW
	<input type="checkbox"/> GRAY	<input type="checkbox"/> OTHER _____	
PLUG	<input type="checkbox"/> UTP CAT.5E	<input checked="" type="checkbox"/> UTP CAT.6	<input type="checkbox"/> STP CAT.5E
	<input type="checkbox"/> STP CAT.6	<input type="checkbox"/> 24 AWG SOLID	<input type="checkbox"/> 24 AWG STRANDED
SR TYPE	<input type="checkbox"/> 26 AWG SOLID	<input type="checkbox"/> 26 AWG STRANDED	
REV.	DESCRIPTION	ENG.	APPROVAL

P/NO. PC6-XX-XX-MLS			
ITEM. Patch Cord	CO. SY	FILE. PC6-XX-XX-MLS	
DR.	APPD. Sweet 2020/09/09	CHKD.	
 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679	S/N. PC6-XX-XX-MLS		
	SCALE /		
	UNIT mm	SIZE A4	

ROHS Compliant



Date	2020/09/09
Revision	A



WIRING

CABLE LENGTH
COLOR

TECHNICAL DATA			
CABLE LENGTH	<input type="checkbox"/> 500±30mm	<input type="checkbox"/> 1000±50mm	<input type="checkbox"/> 1500±50mm
	<input type="checkbox"/> 2000±50mm	<input type="checkbox"/> 2500±50mm	<input type="checkbox"/> 5000±50mm
COLOR	<input type="checkbox"/> BLUE	<input type="checkbox"/> ORANGE	<input type="checkbox"/> RED
	<input type="checkbox"/> GREEN	<input type="checkbox"/> WHITE	<input type="checkbox"/> YELLOW
CABLE	<input checked="" type="checkbox"/> UTP CAT.5E	<input type="checkbox"/> UTP CAT.6	<input type="checkbox"/> STP CAT.5E
	<input type="checkbox"/> 24 AWG SOLID	<input type="checkbox"/> 24 AWG STRANDED	<input type="checkbox"/> 26 AWG SOLID
PLUG	8P8C 50u"		
SR TYPE	<input type="checkbox"/> AA	<input type="checkbox"/> MB	<input type="checkbox"/> MF
	<input type="checkbox"/> MH	<input checked="" type="checkbox"/> MLS	<input type="checkbox"/> MR6
	<input type="checkbox"/> MR7	<input type="checkbox"/> OTHER _____	
REV.	DESCRIPTION		APPROVAL

P/NO. PCE-XX-XX-MLS			
ITEM. Patch Cord	CO. SY	FILE. PCE-XX-XX-MLS	
DR.	APPD. Sweet 2020/09/09	CHKD.	
 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679	S/N. PCE-XX-XX-MLS		 SCALE / UNIT mm SIZE A4