





ROHS Compliant

Date 2022/05/11
Revision A



TECHNICAL DATA			
CABLE LENGTH	☐ 500±30mm	☐ 1000±50mm	☐ 1500±50mm
	☐ 2000±50mm	☐ 2500±50mm	☐ 5000±50mm
COLOR	☐ BLUE	☐ ORANGE	☐ RED
	☐ GREEN	☐ WHITE	☐ YELLOW
	☐ GRAY	☐ OTHER	
CABLE	☐ CAT6A	☐ UTP	☐ UFTP
	☐ FFTP	☒ SFTP	☐ SFUTP
	☐ 23 AWG SOLID	☒ 26 AWG STRANDED	
PLUG			
SR TYPE	MR7		
REV.	DESCRIPTION		ENG. APPROVAL




P/NO. SFTPC6A-XX-XX-MR7

ITEM. Patch Cord	CO. SY	FILE. C6A SFTP
DR.	APPD. Sweet 2022/05/11	CHKD.
 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679		S/N. C6A SFTP
		SCALE / 
		UNIT mm SIZE A4

ROHS Compliant

Date 2022/05/11

Revision A



TECHNICAL DATA

CABLE LENGTH	☐ 500±30mm	☐ 1000±50mm	☐ 1500±50mm	☐ 2000±50mm
	☐ 2500±50mm	☐ 5000±50mm	☐ 10000±100mm	☐ OTHER _____
COLOR	☐ BLUE	☐ ORANGE	☐ RED	☐ GREEN
	☐ WHITE	☐ YELLOW	☐ GRAY	☐ OTHER _____
CABLE	☐ UTP CAT.5E	☐ UTP CAT.6	☐ STP CAT.5E	☒ STP CAT.6
	☐ 24 AWG SOLID	☐ 24 AWG STRANDED	☐ 26 AWG SOLID	☐ 26 AWG STRANDED
PLUG	8P8C 50u"			
SR TYPE	☐ AA	☐ MB	☐ MF	☐ MH
	☐ MLS	☐ MR6	☒ MR7	☐ OTHER _____




REV.	DESCRIPTION		ENG.	APPROVAL
------	-------------	--	------	----------

P/NO. FPC6-XX-XX-MR7

ITEM. Patch Cord	CO. SY	FILE.FPC6-XX-XX-MR7
DR.	APPD. Sweet 2022/05/11	CHKD.
 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679		S/N. FPC6-XX-XX-MR7
		SCALE / 
		UNIT mm SIZE A4


ROHS Compliant

Date 2022/05/11
Revision A







TECHNICAL DATA			
CABLE LENGTH	☐ 500±30mm	☐ 1000±50mm	☐ 1500±50mm
	☐ 2500±50mm	☐ 5000±50mm	☐ 10000±100mm
COLOR	☐ BLUE	☐ ORANGE	☐ RED
	☐ GREEN	☐ WHITE	☐ YELLOW
CABLE	☐ UTP CAT.5E	☐ UTP CAT.6	☒ STP CAT.5E
	☐ 24 AWG SOLID	☐ 24 AWG STRANDED	☐ 26 AWG SOLID
PLUG	8P8C 50u"		
SR TYPE	☐ AA	☐ MB	☐ MF
REV.	DESCRIPTION		APPROVAL

P/NO. FPCe-XX-XX-MR7

ITEM. Patch Cord	CO. SY	FILE.FPCe-XX-XX-MR7
DR.	APPD. Sweet 2022/05/11	CHKD.
 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679		S/N. FPCe-XX-XX-MR7
		SCALE / 
		UNIT mm SIZE A4

ROHS Compliant


Date 2022/05/11
Revision A



WIRING




TECHNICAL DATA			
CABLE LENGTH	☐ 500±30mm	☐ 1000±50mm	☐ 1500±50mm
	☐ 2000±50mm	☐ 2500±50mm	☐ 5000±50mm
COLOR	☐ BLUE	☐ ORANGE	☐ RED
	☐ GREEN	☐ WHITE	☐ YELLOW
	☐ GRAY	☐ OTHER	
CABLE	☐ UTP CAT.5E	☒ UTP CAT.6	☐ STP CAT.5E
	☐ 24 AWG SOLID	☒ 24 AWG STRANDED	☐ 26 AWG SOLID
	☐ 26 AWG STRANDED		
PLUG	8P8C 50u"		
SR TYPE	☐ AA	☐ MB	☐ MF
	☐ MH	☐ MLS	☐ MR6
	☒ MR7	☐ OTHER	
REV.	DESCRIPTION		APPROVAL

P/NO. PC6-XX-XX-MR7

ITEM. Patch Cord	CO. SY	FILE. PC6-XX-XX-MR7
DR.	APPD. Sweet 2022/05/11	CHKD.
 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679		S/N. PC6-XX-XX-MR7
		SCALE / 
		UNIT mm SIZE A4

ROHS Compliant

Date 2022/05/03
Revision A




WIRING

CABLE LENGTH
COLOR

TECHNICAL DATA

CABLE LENGTH	☐ 500±30mm	☐ 1000±50mm	☐ 1500±50mm	☐ 2000±50mm
	☐ 2500±50mm	☐ 5000±50mm	☐ 10000±100mm	☐ OTHER _____
COLOR	☐ BLUE ☐ ORANGE ☐ RED ☐ GREEN ☐ WHITE ☐ YELLOW ☐ GRAY ☐ OTHER _____			
CABLE	☒ UTP CAT.5E	☐ UTP CAT.6	☐ STP CAT.5E	☐ STP CAT.6
	☐ 24 AWG SOLID	☐ 24 AWG STRANDED	☐ 26 AWG SOLID	☐ 26 AWG STRANDED
PLUG	8P8C 50u"			
SR TYPE	☐ AA ☐ MB ☐ MF ☐ MH ☐ MLS ☐ MR6 ☒ MR7 ☐ OTHER _____			

P/NO. PCe-XX-XX-MR7

ITEM. Patch Cord	CO. SY	FILE. PCe-XX-XX-MR7
DR.	APPD. Sweet 2022/05/03	CHKD.
 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679		S/N. PCe-XX-XX-MR7
		SCALE / 
		UNIT mm SIZE A4