



1		2		3		4		5		6		7																																																																																													
ROHS Compliant												DATE	2022/02/25																																																																																												
												Revision	A																																																																																												
A													A																																																																																												
B													B																																																																																												
C													C																																																																																												
D													D																																																																																												
<table><tr><td colspan="2">TOLERANCE</td></tr><tr><td>.XXX</td><td>0.10</td></tr><tr><td>.XX</td><td>0.25</td></tr><tr><td>.X</td><td>0.38</td></tr></table>														TOLERANCE		.XXX	0.10	.XX	0.25	.X	0.38																																																																																				
TOLERANCE																																																																																																									
.XXX	0.10																																																																																																								
.XX	0.25																																																																																																								
.X	0.38																																																																																																								
<table><tr><td colspan="4">MATERIAL</td><td colspan="2">P/NO. Modular Plug</td><td colspan="2">CO. SY</td><td colspan="2">S/N. PMP00602</td></tr><tr><td colspan="2">HOUSING</td><td colspan="2">☐ PC UL94V-0 ☒ PC UL94V-2</td><td colspan="2">TYPE OF PLUG</td><td colspan="2">☐ SHIELD ☒ UNSHIELD</td><td colspan="2"></td></tr><tr><td colspan="2" rowspan="2">CONTACT</td><td colspan="2">PHOSPHOR BRONZE FINE GOLD</td><td colspan="2" rowspan="2">COLD-PLATING</td><td colspan="2">☐ 0.15U M/6U" MINIMUM ☐ 0.38U M/15U"MINIMUM</td><td colspan="2"></td></tr><tr><td colspan="2">PLATED OVER NICKEL</td><td colspan="2">☐ 0.76U M/30U"MINIMUM ☐ 1.27U M/50U"MINIMUM</td><td colspan="2"></td></tr><tr><td colspan="2">APPLICATION</td><td colspan="2">☐ 4P4C ☒ 6P2C ☐ 6P4C ☐ 6P6C ☐ 8P8C</td><td colspan="2"></td><td colspan="2" rowspan="3"></td><td colspan="2">Shiunn Yang Ent.Co.Ltd.</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">TEL: 29089890 <REP></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">FAX: 29088679</td></tr><tr><td colspan="2">REV.</td><td colspan="2">DESCRIPTION</td><td colspan="2">ENG.</td><td colspan="2">APPROVAL</td><td colspan="2">FILE. PMP00602</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">SCALE / </td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">UNIT mm SIZE A4</td></tr></table>														MATERIAL				P/NO. Modular Plug		CO. SY		S/N. PMP00602		HOUSING		☐ PC UL94V-0 ☒ PC UL94V-2		TYPE OF PLUG		☐ SHIELD ☒ UNSHIELD				CONTACT		PHOSPHOR BRONZE FINE GOLD		COLD-PLATING		☐ 0.15U M/6U" MINIMUM ☐ 0.38U M/15U"MINIMUM				PLATED OVER NICKEL		☐ 0.76U M/30U"MINIMUM ☐ 1.27U M/50U"MINIMUM				APPLICATION		☐ 4P4C ☒ 6P2C ☐ 6P4C ☐ 6P6C ☐ 8P8C						Shiunn Yang Ent.Co.Ltd.								TEL: 29089890 <REP>								FAX: 29088679		REV.		DESCRIPTION		ENG.		APPROVAL		FILE. PMP00602										SCALE /										UNIT mm SIZE A4	
MATERIAL				P/NO. Modular Plug		CO. SY		S/N. PMP00602																																																																																																	
HOUSING		☐ PC UL94V-0 ☒ PC UL94V-2		TYPE OF PLUG		☐ SHIELD ☒ UNSHIELD																																																																																																			
CONTACT		PHOSPHOR BRONZE FINE GOLD		COLD-PLATING		☐ 0.15U M/6U" MINIMUM ☐ 0.38U M/15U"MINIMUM																																																																																																			
		PLATED OVER NICKEL				☐ 0.76U M/30U"MINIMUM ☐ 1.27U M/50U"MINIMUM																																																																																																			
APPLICATION		☐ 4P4C ☒ 6P2C ☐ 6P4C ☐ 6P6C ☐ 8P8C						Shiunn Yang Ent.Co.Ltd.																																																																																																	
								TEL: 29089890 <REP>																																																																																																	
								FAX: 29088679																																																																																																	
REV.		DESCRIPTION		ENG.		APPROVAL		FILE. PMP00602																																																																																																	
								SCALE /																																																																																																	
								UNIT mm SIZE A4																																																																																																	
E													E																																																																																												



.XX				0.25		ITEM.		PMP00604							
.X				0.38											
MATERIAL								P/NO. Modular Plug		CO. SY		S/N. PMP00604			
HOUSING		☐ PC UL94V-0 ☒ PC UL94V-2		TYPE OF PLUG		☐ SHIELD ☒ UNSHIELD		DR.		APPD. Sweet 2022/02/25		CHKD.			
CONTACT		PHOSPHOR BRONZE FINE GOLD		COLD-PLATING		☐ 0.15U M/6U" MINIMUM ☐ 0.38U M/15U"MINIMUM		 Shiunn Yang Ent.Co.Ltd. TEL: 29089890 <REP> FAX: 29088679		FILE. PMP00604		SCALE /  UNIT mm SIZE A4			
		PLATED OVER NICKEL				☐ 0.76U M/30U"MINIMUM ☐ 1.27U M/50U"MINIMUM									
APPLICATION		☐ 4P4C ☐ 6P2C ☒ 6P4C ☐ 6P6C ☐ 8P8C													
REV.		DESCRIPTION				ENG.								APPROVAL	
1		2				3		4		5		6		7	

